



**Arlington Public Schools
Purchasing Office**

NOTICE OF ADDENDUM NO. 2

Issued on May 30, 2017

TITLE: **THE GUNSTON MIDDLE SCHOOL RENOVATION PROJECT AT THE
EXISTING GUNSTON MIDDLE SCHOOL SITE, LOCATED AT 2700 S. LANG
STREET, ARLINGTON, VIRGINIA 22206**

ITB NO.: 88FY17

ITB ISSUE DATE: MAY 12, 2017

**BID CLOSING DATE
AND TIME:** JUNE 2, 2017 PRIOR TO 2:00 P. M., (LOCAL PREVAILING TIME)

BID OPENING DATE/TIME: PROMPTLY FOLLOWING BID CLOSING

Addendum #2 adds Page #A121 to Addendum #1 dated May 26, 2017 issued by the APS Purchasing Office.

This Addendum #2 for ITB 88FY17 – THE GUNSTON MIDDLE SCHOOL CAPACITY OPTIMIZATION PROJECT AT THE EXISTING GUNSTON MIDDLE SCHOOL SITE, LOCATED AT 2700 S. LANG STREET, ARLINGTON, VIRGINIA 22206, must be signed, dated and received in the Purchasing Office prior to the date and time stated above “OR” acknowledgment of receipt of this addendum may be noted on the ITB. (See Page 00 4100-3).

ISSUED BY:

Ellen H. Wills, CPPB, VCO
Assistant Director of Purchasing
Telephone: (703) 228-7649
Cell: (703) 244-6580
Email: ellen.wills@apsva.us

FINIS

1. REFER TO FLOOR PLANS, CEILING PLANS, INTERIOR ELEVATIONS, SECTIONS AND FINISH SCHEDULES FOR ADDITIONAL INFORMATION. THE FINISH TYPE OF EACH FINISH WHEN MORE THAN ONE FINISH IS INDICATED FOR ANY SPACE.
2. REFER TO CEILING PLANS FOR HEIGHTS OF CEILINGS, BULKHEADS, SOFFITS, ETC.
3. PAINT ALL EXPOSED STEEL LADDERS, LINTELS, HUNG PLATES, HAND AND GUARD RAILS, STAIRS & STRINGERS.
4. PAINT ALL EXPOSED STEEL COLUMNS, TRUSSES, JOISTS, BEAMS, DECK, AND MISCELLANEOUS BRIDGING, ANGLES, PLATES, ETC.
5. FIELD PAINT ALL ELECTRICAL PANELS EXCEPT WHEN PANELS ARE LOCATED IN ELECTRICAL CLOSETS AND MECHANICAL ROOMS.
6. PROVIDE SEALANT AT INTERSECTIONS OF DISSIMILAR MATERIALS, CONFORMING WITH SPECIFICATIONS, DRAWINGS, AND AS RECOMMENDED BY MANUFACTURER.
7. FLOOR MATERIAL SPECIFICATIONS BETWEEN ROOMS TO OCCUR UNDER DOOR (JOIN).
8. SEAL ALL EXPOSED CONCRETE FLOORS.
9. PROVIDE CJS AT GYP. BD. CEILINGS AT 30'-0" OC MAX. (JOIN)
10. ELECTRICAL OUTLETS, CLOCKS, PA SPEAKERS OR OTHER DEVICES SHOW ON THE ARCH DWGS SERVE TO ALERT OTHER SUBCONTRACTORS OF THE PRESENCE OF THESE DEVICES. CONSULT THE ELECTRICAL DRAWINGS FOR FURTHER INFORMATION AND ADVISE ARCHITECT OF ANY CONFLICT OF LOCATION OR TYPE OF DEVICES SHOWN.
11. WALL AND CEILING FINISHES SHALL INCLUDE ALL PROJECTIONS, BEAM ENCLOSURES, RECESSES, BULKHEADS, MATERIAL CHANGES, OR OTHER ENCLOSURES.
12. PROVIDE ACOUSTICAL, WALL PLANS INDICATED ON INTERIOR ELEVATIONS, WALL SECTIONS & BLDG. SECTIONS.
13. WHERE CONFLICT EXISTS BETWEEN FINISH SCHEDULE AND MATERIALS SHOWN ON OTHER PLANS, THE MORE EXPENSIVE FINISH MATERIALS SHALL TAKE PRECEDENCE.
14. REFER TO REFLECTED CEILING PLANS FOR CEILING HEIGHTS.
15. TYPICAL DOOR THRESHOLD SHALL BE D1412.23 UN.

