


**FY19 MIDDLE SCHOOLS
Site Energy Intensity (kBtu/ft²)**



Gunston Middle School and Community Center		
Address	2700 S. Lang St.	
Building Use	Middle School and Community Center	
Current Size (f²)	200,969	
Year Built / Major Renovation	1959/1994/2001/2003	
Annual Electric Usage (kWh)	2017	2,993,688
	2018	3,114,025
	2019	2,443,067
Annual Natural Gas Usage (therms)	2017	65,167
	2018	81,593
	2019	67,121
Site Energy Intensity (kBTUs/f²)	2017	79
	2018	93
	2019	75
Source Energy Intensity (kBTUs/f²)	2017	184
	2018	191
	2019	151
Carbon Footprint (Mt CO₂E)	2017	1,518
	2018	1,578
	2019	1,254
Water (Gal)	2017	6,783,300
	2018	2,418,900
	2019	2,659,700
Building Energy Notes	Relocatables onsite.	

Jefferson Middle School and Community Center		
Address	125 S. Old Glebe Rd.	
Building Use	Middle School and Community Center	
Current Size (f²)	235,787	
Year Built / Major Renovation	1972/2010	
Annual Electric Usage (kWh)	2017	3,605,731
	2018	3,494,736
	2019	3,486,318
Annual Natural Gas Usage (therms)	2017	72,348
	2018	80,414
	2019	78,019
Site Energy Intensity (kBTUs/f²)	2017	83
	2018	85
	2019	84
Source Energy Intensity (kBTUs/f²)	2017	196
	2018	177
	2019	176
Carbon Footprint (Mt CO₂E)	2017	1,795
	2018	1,711
	2019	1,696
Water (Gal)	2017	5,081,700
	2018	4,573,500
	2019	4,607,800
Building Energy Notes	Joint use facility with county. Gym and theater used extensively seven days a week. Relocatables onsite.	

Kenmore Middle School		
Address	200 S. Carlin Springs Rd.	
Building Use	Middle School	
Current Size (f²)	207,916	
Year Built / Major Renovation	2005	
Annual Electric Usage (kWh)	2017	2,537,782
	2018	2,971,336
	2019	2,912,404
Annual Natural Gas Usage (therms)	2017	62,319
	2018	82,663
	2019	74,945
Site Energy Intensity (kBTUs/f²)	2017	72
	2018	89
	2019	85
Source Energy Intensity (kBTUs/f²)	2017	164
	2018	180
	2019	173
Carbon Footprint (Mt CO₂E)	2017	1,324
	2018	1,531
	2019	1,468
Water (Gal)	2017	2,650,600
	2018	3,190,300
	2019	2,829,700
Building Energy Notes	Building used extensively evenings and weekends.	

Swanson Middle School		
Address	5800 N. Washington Blvd	
Building Use	Middle School	
Current Size (f²)	155,774	
Year Built / Major Renovation	1939/1955/1963/1968/1994/2005	
Annual Electric Usage (kWh)	2017	1,897,742
	2018	2,267,784
	2019	1,846,988
Annual Natural Gas Usage (therms)	2017	31,478
	2018	45,556
	2019	44,709
Site Energy Intensity (kBTUs/f²)	2017	63
	2018	81
	2019	71
Source Energy Intensity (kBTUs/f²)	2017	155
	2018	174
	2019	147
Carbon Footprint (Mt CO₂E)	2017	910
	2018	1,075
	2019	916
Water (Gal)	2017	1,503,600
	2018	851,000
	2019	1,376,000
Building Energy Notes	Relocatables onsite.	

Williamsburg Middle School		
Address	3600 N. Harrison St.	
Building Use	Middle School	
Current Size (f²)	194,433	
Year Built / Major Renovation	1955/1992/2004	
Annual Electric Usage (kWh)	2017	1,826,506
	2018	1,789,314
	2019	1,769,436
Annual Natural Gas Usage (therms)	2017	35,515
	2018	42,279
	2019	41,605
Site Energy Intensity (kBTUs/f²)	2017	51
	2018	54
	2019	53
Source Energy Intensity (kBTUs/f²)	2017	121
	2018	112
	2019	110
Carbon Footprint (Mt CO₂E)	2017	903
	2018	882
	2019	871
Water (Gal)	2017	1,345,900
	2018	1,366,500
	2019	1,525,800
Building Energy Notes	Relocatables onsite.	