

## **Arlington Public Schools**

Procurement Office 2110 Washington Blvd., Arlington, VA 22204 • Phone: (703) 228-6123 • Fax: (703) 841-0681 www.apsva.us

February 28, 2021

Via Email

Frontline Technologies Group LLC Attn: Jacob Moulden 1400 Atwater Dr. Malvern, PA 19355 jmoulden@frontlineed.com

Subject:

Third Party Billing and Documentation of Medicaid in Schools Programs 04FY18 - Contract

Amendment No. 3

Dear Mr. Moulden:

On September 30, 2020, the above cited Contract between your firm and Arlington Public Schools expired. Attached is Amendment No. 3 to renew the Contract for one (1) year at existing prices or discounts. The renewal period shall be effective from October 1, 2020 through September 30, 2021. This Amendment constitutes the second of three (3) optional renewals with one (1) optional renewal remaining. All other terms and conditions shall remain unchanged.

Sincerely,

Ladrua F. TY

Joshua A. Makely, CPPO, CPPB

Assistant Director of Procurement

JAM:jam

Enclosure

## **Arlington Public Schools**



Procurement Office 2110 Washington Blvd., Arlington, VA 22204 • Phone: (703) 228-6123 • Fax: (703) 841-0681 www.apsva.us

## Amendment No. 3

Subject:

Third Party Billing and Documentation of Medicaid in Schools Programs 04FY18 – Contract Amendment No. 3

**Contractor:** 

Contract: 04FY18

Frontline Technologies Group LLC

Attn: Jacob Moulden 1400 Atwater Dr. Malvern, PA 19355

imoulden@frontlineed.com

In accordance with Contract No. 04FY18, Arlington Public Schools hereby renews the subject Contract for one (1) year at existing prices or discounts. The renewal shall be effective from October 1, 2020, and shall remain valid through September 30, 2021. This Amendment constitutes the second of three (3) optional renewals with one (1) optional renewal remaining.

All other terms and conditions shall remain unchanged.

**Arlington Public Schools** 

Authorized

Signature:

David J. Webb, C.P.M.

Printed Name

Procurement Director /

and Title:

Procurement Agent

Date:

February 28, 2021